

**WEST**

Generate Collection

L1: Entry 1 of 3

File: USPT

Jun 12, 2001

DOCUMENT-IDENTIFIER: US 6245530 B1

TITLE: Receptor ligand

## DEPR:

The expression pattern of the VEGFR-3 (Kaipainen et al., Proc. Natl. Acad. Sci. USA, 92:3566-70 (1995)) suggests that VEGF-C may function in the formation of the venous and lymphatic vascular systems during embryogenesis. Constitutive expression of VEGF-C in adult tissues shown herein further suggests that this gene product also is involved in the maintenance of the differentiated functions of the lymphatic endothelium where VEGFR-3 is expressed (Kaipainen et al., 1995). Lymphatic capillaries do not have well formed basal laminae and an interesting possibility remains that the silk-like BR3P motif is involved in producing a supramolecular structure which could regulate the availability of VEGF-C in tissues. However, as shown here, VEGF-C also activates VEGFR-2, which is abundant in proliferating endothelial cells of vascular sprouts and branching vessels of embryonic tissues, but decreased in adult tissues. Millauer et al., Nature, 367:576-78 (1993). These data have suggested that VEGFR-2 is a major regulator of vasculogenesis and angiogenesis. VEGF-C may thus have a unique effect in lymphatic endothelium and a more redundant function shared with VEGF in angiogenesis and possibly permeability regulation of several types of endothelia. Because VEGF-C stimulates VEGFR-2 and promotes endothelial migration, a utility for VEGF-C is suggested as an inducer of angiogenesis of blood and lymphatic vessels in wound healing, tissue transplantation, in eye diseases, in the formation of collateral vessels around arterial stenoses and into injured tissues after infarction.

**WEST**

Generate Collection

L1: Entry 2 of 3

File: USPT

Oct 10, 2000

DOCUMENT-IDENTIFIER: US 6130071 A

TITLE: Vascular endothelial growth factor C (VEGF-C)

.DELTA.Cys.sub.156 protein and gene, and uses thereof

## DEPR:

The expression pattern of the VEGFR-3 (Kaipainen et al., Proc. Natl. Acad. Sci. (USA), 92:3566-70 (1995)) suggests that VEGF-C may function in the formation of the venous and lymphatic vascular systems during embryogenesis. Constitutive expression of VEGF-C in adult tissues shown herein further suggests that this gene product also is involved in the maintenance of the differentiated functions of the lymphatic and certain venous endothelia where VEGFR-3 is expressed (Kaipainen et al., 1995). Lymphatic capillaries do not have well-formed basal laminae and an interesting possibility exists that the silk-like BR3P motif is involved in producing a supramolecular structure which could regulate the availability of VEGF-C in tissues. However, as shown here, VEGF-C also activates VEGFR-2, which is abundant in proliferating endothelial cells of vascular sprouts and branching vessels of embryonic tissues, but not so abundant in adult tissues. Millauer et al., Nature, 367:576-78 (1993). These data have suggested that VEGFR-2 is a major regulator of vasculogenesis and angiogenesis. VEGF-C may thus have a unique effect on lymphatic endothelium and a more redundant function, shared with VEGF, in angiogenesis and possibly in regulating the permeability of several types of endothelia. Because VEGF-C stimulates VEGFR-2 and promotes endothelial migration, VEGF-C may be useful as an inducer of angiogenesis of blood and lymphatic vessels in wound healing, in tissue transplantation, in eye diseases, and in the formation of collateral vessels around arterial stenoses and into injured tissues after infarction.

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show 8 Numbers](#)[Edit 8 Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
(VEGF adj C or VEGF-C) near5 angiogen\$	3

**Database:**

US Patents Full-Text Database	▲
US Pre-Grant Publication Full-Text Database	
JPO Abstracts Database	
EPO Abstracts Database	
Derwent World Patents Index	
IBM Technical Disclosure Bulletins	▼

**Refine Search:**

(VEGF adj C or VEGF-C) near5 angiogen\$	▲
	▼

[Clear](#)

**Search History****Today's Date:** 10/21/2001

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	(VEGF adj C or VEGF-C) near5 angiogen\$	3	<u>L1</u>

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
Cao-renhai-\$.in.	0

**Database:**

US Patents Full-Text Database  
US Pre-Grant Publication Full-Text Database  
JPO Abstracts Database  
EPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Refine Search:**

Cao-renhai-\$.in.

[Clear](#)**Search History****Today's Date: 10/21/2001**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	Cao-renhai-\$.in.	0	<u>L5</u>
USPT	Eriksson-anna-\$.in.	0	<u>L4</u>
USPT	Cao-Yihai-\$.in.	0	<u>L3</u>
USPT	Cao-Y-\$.in.	0	<u>L2</u>
USPT	(VEGF adj C or VEGF-C) near5 angiogen\$	3	<u>L1</u>



**HOME** **HELP** **FEEDBACK** **SUBSCRIPTIONS** **ARCHIVE** **SEARCH** **TABLE OF CONTENTS**

**Institution:** US Patent & Trademark Office || [Sign In as Individual](#) || [Contact Subscription Administrator at your institution](#) || [FAQ](#)

The EMBO Journal Vol 15, pp.290-298, 1996, Copyright © European Molecular Biology Organization

## **A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-3) and KDR (VEGFR-2) receptor tyrosine kinases [published erratum appears in EMBO J 1996 Apr 1;15(7):1751]**

**V Joukov, K Pajusola, A Kaipainen, D Chilov, I Lahtinen, E Kukk, O Saksela, N Kalkkinen and K Alitalo**

Department of Virology, Haartman Institute, University of Helsinki, Finland.

Angiogenesis, the sprouting of new blood vessels from pre-existing ones, and the permeability of blood vessels are regulated by vascular endothelial growth factor (VEGF) via its two known receptors Flt1 (VEGFR-1) and KDR/Flk-1 (VEGFR-2). The Flt4 receptor tyrosine kinase is related to the VEGF receptors, but does not bind VEGF and its expression becomes restricted mainly to lymphatic endothelia during development. In this study, we have purified the Flt4 ligand, VEGF-C, and cloned its cDNA from human prostatic carcinoma cells. While VEGF-C is homologous to other members of the VEGF/platelet derived growth factor (PDGF) family, its C-terminal half contains extra cysteine-rich motifs characteristic of a protein component of silk produced by the larval salivary glands of the midge, *Chironomus tentans*. VEGF-C is proteolytically processed, binds Flt4, which we rename as VEGFR-3 and induces tyrosine autophosphorylation of VEGFR-3 and VEGFR-2. In addition, VEGF-C stimulated the migration of bovine capillary endothelial cells in collagen gel. VEGF-C is thus a novel regulator of endothelia, and its effects may extend beyond the lymphatic system, where Flt4 is expressed.

- ▶ Similar articles found in:  
[EMBO Journal Online](#)  
[PubMed](#)
- ▶ PubMed Citation
- ▶ Search Medline for articles by:  
[Joukov, V](#) || [Alitalo, K](#)
- ▶ Alert me when:  
[new articles cite this article](#)
- ▶ [Download to Citation Manager](#)

### **This article has been cited by other articles:**

- Fournier, E., Rosnet, O., Marchetto, S., Turck, C. W., Rottapel, R., Pelicci, P. G., Birnbaum, D., Borg, J.-P. (1996). Interaction with the Phosphotyrosine Binding Domain/Phosphotyrosine Interacting Domain of SHC Is Required for the Transforming Activity of the FLT4/VEGFR3 Receptor Tyrosine Kinase. *J. Biol. Chem.* 271: 12956-12963 [[Abstract](#)] [[Full Text](#)]
- Cao, Y., Linden, P., Shima, D., Browne, F., Folkman, J. (1996). In Vivo Angiogenic Activity and Hypoxia Induction of Heterodimers of Placenta Growth Factor/Vascular Endothelial Growth Factor. *J. Clin. Invest.* 98: 2507-2511 [[Abstract](#)] [[Full Text](#)]
- Liu, Z.-Y., Ganju, R. K., Wang, J.-F., Ona, M. A., Hatch, W. C., Zheng, T., Avraham, S., Gill, P., Groopman, J. E. (1997). Cytokine Signaling Through the Novel Tyrosine Kinase RAFTK in Kaposi's Sarcoma Cells. *J. Clin. Invest.* 99: 1798-1804 [[Abstract](#)] [[Full Text](#)]

- Eichmann, A., Corbel, C., Nataf, V., Vaigot, P., Breant, C., Le Douarin, N. M. (1997). Ligand-dependent development of the endothelial and hemopoietic lineages from embryonic mesodermal cells expressing vascular endothelial growth factor receptor 2. *Proc. Natl. Acad. Sci. U. S. A.* 94: 5141-5146 [[Abstract](#)] [[Full Text](#)]
- Liu, Z.-Y., Ganju, R. K., Wang, J.-F., Schweitzer, K., Weksler, B., Avraham, S., Groopman, J. E. (1997). Characterization of Signal Transduction Pathways in Human Bone Marrow Endothelial Cells. *Blood* 90: 2253-2259 [[Abstract](#)] [[Full Text](#)]
- Wang, J.-F., Ganju, R. K., Liu, Z.-Y., Avraham, H., Avraham, S., Groopman, J. E. (1997). Signal Transduction in Human Hematopoietic Cells by Vascular Endothelial Growth Factor Related Protein, a Novel Ligand for the FLT4 Receptor. *Blood* 90: 3507-3515 [[Abstract](#)] [[Full Text](#)]
- Joukov, V., Kumar, V., Sorsa, T., Arighi, E., Weich, H., Saksela, O., Alitalo, K. (1998). A Recombinant Mutant Vascular Endothelial Growth Factor-C that Has Lost Vascular Endothelial Growth Factor Receptor-2 Binding, Activation, and Vascular Permeability Activities. *J. Biol. Chem.* 273: 6599-6602 [[Abstract](#)] [[Full Text](#)]
- Siemeister, G., Schirner, M., Reusch, P., Barleon, B., Marme, D., Martiny-Baron, G. (1998). An antagonistic vascular endothelial growth factor (VEGF) variant inhibits VEGF-stimulated receptor autophosphorylation and proliferation of human endothelial cells. *Proc. Natl. Acad. Sci. U. S. A.* 95: 4625-4629 [[Abstract](#)] [[Full Text](#)]
- Siemeister, G., Marme, D., Martiny-Baron, G. (1998). The alpha -Helical Domain Near the Amino Terminus Is Essential for Dimerization of Vascular Endothelial Growth Factor. *J. Biol. Chem.* 273: 11115-11120 [[Abstract](#)] [[Full Text](#)]
- Witzenbichler, B., Maisonpierre, P. C., Jones, P., Yancopoulos, G. D., Isner, J. M. (1998). Chemotactic Properties of Angiopoietin-1 and -2, Ligands for the Endothelial-specific Receptor Tyrosine Kinase Tie2. *J. Biol. Chem.* 273: 18514-18521 [[Abstract](#)] [[Full Text](#)]
- Ito, N., Wernstedt, C., Engstrom, U., Claesson-Welsh, L. (1998). Identification of Vascular Endothelial Growth Factor Receptor-1 Tyrosine Phosphorylation Sites and Binding of SH2 Domain-containing Molecules. *J. Biol. Chem.* 273: 23410-23418 [[Abstract](#)] [[Full Text](#)]
- Dumont, D. J., Jussila, L., Taipale, J., Lymboussaki, A., Mustonen, T., Pajusola, K., Breitman, M., Alitalo, K. (1998). Cardiovascular Failure in Mouse Embryos Deficient in VEGF Receptor-3. *Science* 282: 946-949 [[Abstract](#)] [[Full Text](#)]
- Ogawa, S., Oku, A., Sawano, A., Yamaguchi, S., Yazaki, Y., Shibuya, M. (1998). A Novel Type of Vascular Endothelial Growth Factor, VEGF-E (NZ-7 VEGF), Preferentially Utilizes KDR/Flk-1 Receptor and Carries a Potent Mitotic Activity without Heparin-binding Domain. *J. Biol. Chem.* 273: 31273-31282 [[Abstract](#)] [[Full Text](#)]
- Cao, Y., Linden, P., Farnebo, J., Cao, R., Eriksson, A., Kumar, V., Qi, J.-H., Claesson-Welsh, L., Alitalo, K. (1998). Vascular endothelial growth factor C induces angiogenesis in vivo. *Proc. Natl. Acad. Sci. U. S. A.* 95: 14389-14394 [[Abstract](#)] [[Full Text](#)]
- Clark, D. E., Smith, S. K., He, Y., Day, K. A., Licence, D. R., Corps, A. N., Lammoglia, R., Charnock-Jones, D. S. (1998). A Vascular Endothelial Growth Factor Antagonist Is Produced by the Human Placenta and Released into the Maternal Circulation. *Biol Reprod* 59: 1540-1548 [[Abstract](#)] [[Full Text](#)]
- Wise, L. M., Veikkola, T., Mercer, A. A., Savory, L. J., Fleming, S. B., Caesar, C., Vitali, A., Makinen, T., Alitalo, K., Stacker, S. A. (1999). Vascular endothelial growth factor (VEGF)-like protein from orf virus NZ2 binds to VEGFR2 and neuropilin-1. *Proc. Natl. Acad. Sci. U. S. A.* 96: 3071-3076 [[Abstract](#)] [[Full Text](#)]
- Salven, P., Lymboussaki, A., Heikkila, P., Jaaskela-Saari, H., Enholm, B., Aase, K., von Euler, G., Eriksson, U., Alitalo, K., Joensuu, H. (1998). Vascular Endothelial Growth Factors VEGF-B and VEGF-C Are Expressed in Human Tumors. *Am J Pathol* 153: 103-108 [[Abstract](#)] [[Full Text](#)]
- Smith, G., McLeod, D., Foreman, D., Boulton, M. (1999). Immunolocalisation of the VEGF receptors FLT-1, KDR, and FLT-4 in diabetic retinopathy. *Br. J. Ophthalmol.* 83: 486-494

[\[Abstract\]](#) [\[Full Text\]](#)

- SCHLINGEMANN, R. O, VAN HINSBERGH, V. W M (1997). Role of vascular permeability factor/vascular endothelial growth factor in eye disease. *Br. J. Ophthalmol.* 81: 501-512  
[\[Full Text\]](#)
- Stacker, S. A., Stenvers, K., Caesar, C., Vitali, A., Domagala, T., Nice, E., Roufail, S., Simpson, R. J., Moritz, R., Karpanen, T., Alitalo, K., Achen, M. G. (1999). Biosynthesis of Vascular Endothelial Growth Factor-D Involves Proteolytic Processing Which Generates Non-covalent Homodimers. *J. Biol. Chem.* 274: 32127-32136 [\[Abstract\]](#) [\[Full Text\]](#)
- Yonekura, H., Sakurai, S., Liu, X., Migita, H., Wang, H., Yamagishi, S.-i., Nomura, M., Abedin, Md. J., Unoki, H., Yamamoto, Y., Yamamoto, H. (1999). Placenta Growth Factor and Vascular Endothelial Growth Factor B and C Expression in Microvascular Endothelial Cells and Pericytes. IMPLICATION IN AUTOCRINE AND PARACRINE REGULATION OF ANGIOGENESIS. *J. Biol. Chem.* 274: 35172-35178 [\[Abstract\]](#) [\[Full Text\]](#)
- Stacker, S. A., Vitali, A., Caesar, C., Domagala, T., Groenen, L. C., Nice, E., Achen, M. G., Wilks, A. F. (1999). A Mutant Form of Vascular Endothelial Growth Factor (VEGF) That Lacks VEGF Receptor-2 Activation Retains the Ability to Induce Vascular Permeability. *J. Biol. Chem.* 274: 34884-34892 [\[Abstract\]](#) [\[Full Text\]](#)
- Marconcini, L., Marchio, S., Morbidelli, L., Cartocci, E., Albini, A., Ziche, M., Bussolino, F., Oliviero, S. (1999). c-fos-induced growth factor/vascular endothelial growth factor D induces angiogenesis in vivo and in vitro. *Proc. Natl. Acad. Sci. U. S. A.* 96: 9671-9676  
[\[Abstract\]](#) [\[Full Text\]](#)
- Kroll, J., Waltenberger, J. (1997). The Vascular Endothelial Growth Factor Receptor KDR Activates Multiple Signal Transduction Pathways in Porcine Aortic Endothelial Cells. *J. Biol. Chem.* 272: 32521-32527 [\[Abstract\]](#) [\[Full Text\]](#)
- Achen, M. G., Roufail, S., Domagala, T., Catimel, B., Nice, E. C., Geleick, D. M., Murphy, R., Scott, A. M., Caesar, C., Makinen, T., Alitalo, K., Stacker, S. A. (2000). Monoclonal antibodies to vascular endothelial growth factor-D block its interactions with both VEGF receptor-2 and VEGF receptor-3. *Eur J Biochem* 267: 2505-2515 [\[Abstract\]](#) [\[Full Text\]](#)
- Ohta, Y., Nozawa, H., Tanaka, Y., Oda, M., Watanabe, Y. (2000). INCREASED VASCULAR ENDOTHELIAL GROWTH FACTOR AND VASCULAR ENDOTHELIAL GROWTH FACTOR-C AND DECREASED NM23 EXPRESSION ASSOCIATED WITH MICRODISSEMINATION IN THE LYMPH NODES IN STAGE I NON-SMALL CELL LUNG CANCER. *J Thorac Cardiovasc Surg* 119: 804-813 [\[Abstract\]](#) [\[Full Text\]](#)
- Saaristo, A., Partanen, T. A., Arola, J., Jussila, L., Hytonen, M., Makitie, A., Vento, S., Kaipainen, A., Malmberg, H., Alitalo, K. (2000). Vascular Endothelial Growth Factor-C and Its Receptor VEGFR-3 in the Nasal Mucosa and in Nasopharyngeal Tumors. *Am J Pathol* 157: 7-14  
[\[Abstract\]](#) [\[Full Text\]](#)
- Ferrara, N., Davis-Smyth, T. (1997). The Biology of Vascular Endothelial Growth Factor. *Endocr Rev* 18: 4-25 [\[Abstract\]](#) [\[Full Text\]](#)
- PARTANEN, T. A., AROLA, J., SAARISTO, A., JUSSILA, L., ORA, A., MIETTINEN, M., STACKER, S. A., ACHEN, M. G., ALITALO, K. (2000). VEGF-C and VEGF-D expression in neuroendocrine cells and their receptor, VEGFR-3, in fenestrated blood vessels in human tissues. *FASEB J.* 14: 2087-2096 [\[Abstract\]](#) [\[Full Text\]](#)
- Franck-Lissbrant, I., Häggström, S., Damber, J.-E., Bergh, A. (1998). Testosterone Stimulates Angiogenesis and Vascular Regrowth in the Ventral Prostate in Castrated Adult Rats. *Endocrinology* 139: 451-456 [\[Abstract\]](#) [\[Full Text\]](#)
- Deckers, M. M. L., Karperien, M., van der Bent, C., Yamashita, T., Papapoulos, S. E., Löwik, C. W. G. M. (2000). Expression of Vascular Endothelial Growth Factors and Their Receptors during Osteoblast Differentiation. *Endocrinology* 141: 1667-1674 [\[Abstract\]](#) [\[Full Text\]](#)
- Laitinen, M., Ristimäki, A., Honkasalo, M., Narko, K., Paavonen, K., Ritvos, O. (1997).

Differential Hormonal Regulation of Vascular Endothelial Growth Factors VEGF, VEGF-B, and VEGF-C Messenger Ribonucleic Acid Levels in Cultured Human Granulosa-Luteal Cells.

*Endocrinology* 138: 4748-4756 [[Abstract](#)] [[Full Text](#)]

- Hiltunen, M. O., Laitinen, M., Turunen, M. P., Jeltsch, M., Hartikainen, J., Rissanen, T. T., Laukkanen, J., Niemi, M., Kossila, M., Hakkinen, T. P., Kivela, A., Enholm, B., Mansukoski, H., Turunen, A.-M., Alitalo, K., Yla-Herttuala, S. (2000). Intravascular Adenovirus-Mediated VEGF-C Gene Transfer Reduces Neointima Formation in Balloon-Denuded Rabbit Aorta. *Circulation* 102: 2262-2268 [[Abstract](#)] [[Full Text](#)]
- Suzuma, K., Naruse, K., Suzuma, I., Takahara, N., Ueki, K., Aiello, L. P., King, G. L. (2000). Vascular Endothelial Growth Factor Induces Expression of Connective Tissue Growth Factor via KDR, Flt1, and Phosphatidylinositol 3-Kinase-Akt-dependent Pathways in Retinal Vascular Cells. *J. Biol. Chem.* 275: 40725-40731 [[Abstract](#)] [[Full Text](#)]
- Leu, A. J., Berk, D. A., Lymboussaki, A., Alitalo, K., Jain, R. K. (2000). Absence of Functional Lymphatics within a Murine Sarcoma: A Molecular and Functional Evaluation. *Cancer Res* 60: 4324-4327 [[Abstract](#)] [[Full Text](#)]
- Eggert, A., Ikegaki, N., Kwiatkowski, J., Zhao, H., Brodeur, G. M., Himelstein, B. P. (2000). High-Level Expression of Angiogenic Factors Is Associated with Advanced Tumor Stage in Human Neuroblastomas. *Clin Cancer Res* 6: 1900-1908 [[Abstract](#)] [[Full Text](#)]
- Mandriota, S. J., Jussila, L., Jeltsch, M., Compagni, A., Baetens, D., Prevo, R., Banerji, S., Huarte, J., Montesano, R., Jackson, D. G., Orci, L., Alitalo, K., Christofori, G., Pepper, M. S. (2001). Vascular endothelial growth factor-C-mediated lymphangiogenesis promotes tumour metastasis. *EMBO J.* 20: 672-682 [[Abstract](#)] [[Full Text](#)]
- Yonemura, Y., Endo, Y., Fujita, H., Fushida, S., Ninomiya, I., Bandou, E., Taniguchi, K., Miwa, K., Ohoyama, S., Sugiyama, K., Sasaki, T. (1999). Role of Vascular Endothelial Growth Factor C Expression in the Development of Lymph Node Metastasis in Gastric Cancer. *Clin Cancer Res* 5: 1823-1829 [[Abstract](#)] [[Full Text](#)]
- Veikkola, T., Jussila, L., Makinen, T., Karpanen, T., Jeltsch, M., Petrova, T. V., Kubo, H., Thurston, G., McDonald, D. M., Achen, M. G., Stacker, S. A., Alitalo, K. (2001). Signalling via vascular endothelial growth factor receptor-3 is sufficient for lymphangiogenesis in transgenic mice. *EMBO J.* 20: 1223-1231 [[Abstract](#)] [[Full Text](#)]
- Huss, W. J., Hanrahan, C. F., Barrios, R. J., Simons, J. W., Greenberg, N. M. (2001). Angiogenesis and Prostate Cancer: Identification of A Molecular Progression Switch. *Cancer Res* 61: 2736-2743 [[Abstract](#)] [[Full Text](#)]
- Pepper, M. S. (2001). Lymphangiogenesis and Tumor Metastasis: Myth or Reality?. *Clin Cancer Res* 7: 462-468 [[Abstract](#)] [[Full Text](#)]
- Gunningham, S. P., Currie, M. J., Han, C., Turner, K., Scott, P. A. E., Robinson, B. A., Harris, A. L., Fox, S. B. (2001). Vascular Endothelial Growth Factor-B and Vascular Endothelial Growth Factor-C Expression in Renal Cell Carcinomas: Regulation by the von Hippel-Lindau Gene and Hypoxia. *Cancer Res* 61: 3206-3211 [[Abstract](#)] [[Full Text](#)]
- ILJIN, K., KARKKAINEN, M. J., LAWRENCE, E. C., KIMAK, M. A., UUTELA, M., TAIPALE KATRI PAJUSOLA LEENA ALHONEN, J., HALMEKYTÖ, M., FINEGOLD, D. N., FERRELL, R. E., ALITALO, K. (2001). VEGFR3 gene structure, regulatory region, and sequence polymorphisms. *FASEB J.* 15: 1028-1036 [[Abstract](#)] [[Full Text](#)]
- Li, X. F., Charnock-Jones, D. S., Zhang, E., Hiby, S., Malik, S., Day, K., Licence, D., Bowen, J. M., Gardner, L., King, A., Loke, Y. W., Smith, S. K. (2001). Angiogenic Growth Factor Messenger Ribonucleic Acids in Uterine Natural Killer Cells. *J Clin Endocrinol Metab* 86: 1823-1834 [[Abstract](#)] [[Full Text](#)]
- Schratzberger, P., Walter, D. H., Rittig, K., Bahlmann, F. H., Pola, R., Curry, C., Silver, M., Krainin, J. G., Weinberg, D. H., Ropper, A. H., Isner, J. M. (2001). Reversal of experimental diabetic neuropathy by VEGF gene transfer. *J. Clin. Invest.* 107: 1083-1092



[\[Abstract\]](#) [\[Full Text\]](#)

- Jeltsch, M., Kaipainen, A., Joukov, V., Meng, X., Lakso, M., Rauvala, H., Swartz, M., Fukumura, D., Jain, R. K., Alitalo, K. (1997). Hyperplasia of Lymphatic Vessels in VEGF-C Transgenic Mice. *Science* 276: 1423-1425 [\[Abstract\]](#) [\[Full Text\]](#)
- Chilov, D., Kukk, E., Taira, S., Jeltsch, M., Kaukonen, J., Palotie, A., Joukov, V., Alitalo, K. (1997). Genomic Organization of Human and Mouse Genes for Vascular Endothelial Growth Factor C. *J. Biol. Chem.* 272: 25176-25183 [\[Abstract\]](#) [\[Full Text\]](#)
- Ristimäki, A., Narko, K., Enholm, B., Joukov, V., Alitalo, K. (1998). Proinflammatory Cytokines Regulate Expression of the Lymphatic Endothelial Mitogen Vascular Endothelial Growth Factor-C. *J. Biol. Chem.* 273: 8413-8418 [\[Abstract\]](#) [\[Full Text\]](#)
- Carmeliet, P., Collen, D. (1997). Molecular analysis of blood vessel formation and disease. *Am. J. Physiol.* 273: 2091H-2104 [\[Abstract\]](#) [\[Full Text\]](#)
- Olofsson, B., Korpelainen, E., Pepper, M. S., Mandriota, S. J., Aase, K., Kumar, V., Gunji, Y., Jeltsch, M. M., Shibuya, M., Alitalo, K., Eriksson, U. (1998). Vascular endothelial growth factor B (VEGF-B) binds to VEGF receptor-1 and regulates plasminogen activator activity in endothelial cells. *Proc. Natl. Acad. Sci. U. S. A.* 95: 11709-11714 [\[Abstract\]](#) [\[Full Text\]](#)
- Waltenberger, J. (1997). Modulation of Growth Factor Action : Implications for the Treatment of Cardiovascular Diseases. *Circulation* 96: 4083-4094 [\[Abstract\]](#) [\[Full Text\]](#)
- Paavonen, K., Horelli-Kuitunen, N., Chilov, D., Kukk, E., Pennanen, S., Kallioniemi, O.-P., Pajusola, K., Olofsson, B., Eriksson, U., Joukov, V., Palotie, A., Alitalo, K. (1996). Novel Human Vascular Endothelial Growth Factor Genes VEGF-B and VEGF-C Localize to Chromosomes 11q13 and 4q34, Respectively. *Circulation* 93: 1079-1082 [\[Abstract\]](#) [\[Full Text\]](#)
- Paavonen, K., Puolakkainen, P., Jussila, L., Jähkola, T., Alitalo, K. (2000). Vascular Endothelial Growth Factor Receptor-3 in Lymphangiogenesis in Wound Healing. *Am J Pathol* 156: 1499-1504 [\[Abstract\]](#) [\[Full Text\]](#)
- Kubo, H., Fujiwara, T., Jussila, L., Hashi, H., Ogawa, M., Shimizu, K., Awane, M., Sakai, Y., Takabayashi, A., Alitalo, K., Yamaoka, Y., Nishikawa, S.-I. (2000). Involvement of vascular endothelial growth factor receptor-3 in maintenance of integrity of endothelial cell lining during tumor angiogenesis. *Blood* 96: 546-553 [\[Abstract\]](#) [\[Full Text\]](#)
- Winlaw, D. S. (1997). Angiogenesis in the Pathobiology and Treatment of Vascular and Malignant Diseases. *Ann. Thorac. Surg.* 64: 1204-1211 [\[Abstract\]](#) [\[Full Text\]](#)
- Orlandini, M., Oliviero, S. (2001). In Fibroblasts Vegf-D Expression Is Induced by Cell-Cell Contact Mediated by Cadherin-11. *J. Biol. Chem.* 276: 6576-6581 [\[Abstract\]](#) [\[Full Text\]](#)
- Bates, D. O. (1998). The chronic effect of vascular endothelial growth factor on individually perfused frog mesenteric microvessels. *J Physiol Lond* 513: 225-233 [\[Abstract\]](#) [\[Full Text\]](#)
- Vuorela, P., Andersson, S., Carpen, O., Ylikorkala, O., Halmesmaki, E. (2000). Unbound vascular endothelial growth factor and its receptors in breast, human milk, and newborn intestine. *Am. J. Clin. Nutr.* 72: 1196-1201 [\[Abstract\]](#) [\[Full Text\]](#)
- Hamada, K., Oike, Y., Takakura, N., Ito, Y., Jussila, L., Dumont, D. J., Alitalo, K., Suda, T. (2000). VEGF-C signaling pathways through VEGFR-2 and VEGFR-3 in vasculoangiogenesis and hematopoiesis. *Blood* 96: 3793-3800 [\[Abstract\]](#) [\[Full Text\]](#)
- Veikkola, T., Karkkainen, M., Claesson-Welsh, L., Alitalo, K. (2000). Regulation of Angiogenesis via Vascular Endothelial Growth Factor Receptors. *Cancer Res* 60: 203-212 [\[Full Text\]](#)
- Niki, T., Iba, S., Tokunou, M., Yamada, T., Matsuno, Y., Hirohashi, S. (2000). Expression of Vascular Endothelial Growth Factors A, B, C, and D and Their Relationships to Lymph Node Status in Lung Adenocarcinoma. *Clin Cancer Res* 6: 2431-2439 [\[Abstract\]](#) [\[Full Text\]](#)
- Gunningham, S. P., Currie, M. J., Han, C., Robinson, B. A., Scott, P. A. E., Harris, A. L., Fox, S. B. (2000). The Short Form of the Alternatively Spliced flt-4 but not Its Ligand Vascular Endothelial Growth Factor C Is Related to Lymph Node Metastasis in Human Breast Cancers. *Clin Cancer Res* 6: 4278-4286 [\[Abstract\]](#) [\[Full Text\]](#)

- Helske, S., Vuorela, P., Carpen, O., Hornig, C., Weich, H., Halmesmaki, E. (2001). Expression of vascular endothelial growth factor receptors 1, 2 and 3 in placentas from normal and complicated pregnancies. *Mol Hum Reprod* 7: 205-210 [[Abstract](#)] [[Full Text](#)]
- Zachary, I. (2001). Signaling mechanisms mediating vascular protective actions of vascular endothelial growth factor. *Am. J. Physiol.* 280: 1375C-1386 [[Abstract](#)] [[Full Text](#)]
- Iyer, S., Leonidas, D. D., Swaminathan, G. J., Maglione, D., Battisti, M., Tucci, M., Persico, M. G., Acharya, K. R. (2001). The Crystal Structure of Human Placenta Growth Factor-1 (PlGF-1), an Angiogenic Protein, at 2.0 Å Resolution. *J. Biol. Chem.* 276: 12153-12161 [[Abstract](#)] [[Full Text](#)]
- Piossek, C., Schneider-Mergener, J., Schirner, M., Vakalopoulou, E., Germeroth, L., Thierauch, K.-H. (1999). Vascular Endothelial Growth Factor (VEGF) Receptor II-derived Peptides Inhibit VEGF. *J. Biol. Chem.* 274: 5612-5619 [[Abstract](#)] [[Full Text](#)]
- Marchio, S., Primo, L., Pagano, M., Palestro, G., Albini, A., Veikkola, T., Cascone, I., Alitalo, K., Bussolino, F. (1999). Vascular Endothelial Growth Factor-C Stimulates the Migration and Proliferation of Kaposi's Sarcoma Cells. *J. Biol. Chem.* 274: 27617-27622 [[Abstract](#)] [[Full Text](#)]
- Milanini, J., Vinals, F., Pouyssegur, J., Pages, G. (1998). p42/p44 MAP Kinase Module Plays a Key Role in the Transcriptional Regulation of the Vascular Endothelial Growth Factor Gene in Fibroblasts. *J. Biol. Chem.* 273: 18165-18172 [[Abstract](#)] [[Full Text](#)]
- Ruckman, J., Green, L. S., Beeson, J., Waugh, S., Gillette, W. L., Henninger, D. D., Claesson-Welsh, L., Janjic, N. (1998). 2'-Fluoropyrimidine RNA-based Aptamers to the 165-Amino Acid Form of Vascular Endothelial Growth Factor (VEGF<sub>165</sub>). INHIBITION OF RECEPTOR BINDING AND VEGF-INDUCED VASCULAR PERMEABILITY THROUGH INTERACTIONS REQUIRING THE EXON 7-ENCODED DOMAIN. *J. Biol. Chem.* 273: 20556-20567 [[Abstract](#)] [[Full Text](#)]
- Witzensbichler, B., Asahara, T., Murohara, T., Silver, M., Spyridopoulos, I., Magner, M., Principe, N., Kearney, M., Hu, J.-S., Isner, J. M. (1998). Vascular Endothelial Growth Factor-C (VEGF-C/VEGF-2) Promotes Angiogenesis in the Setting of Tissue Ischemia. *Am J Pathol* 153: 381-394 [[Abstract](#)] [[Full Text](#)]
- Lymboussaki, A., Partanen, T. A., Olofsson, B., Thomas-Crusells, J., Fletcher, C. D. M., de Waal, R. M. W., Kaipainen, A., Alitalo, K. (1998). Expression of the Vascular Endothelial Growth Factor C Receptor VEGFR-3 in Lymphatic Endothelium of the Skin and in Vascular Tumors. *Am J Pathol* 153: 395-403 [[Abstract](#)] [[Full Text](#)]
- Valtola, R., Salven, P., Heikkila, P., Taipale, J., Joensuu, H., Rehn, M., Pihlajaniemi, T., Weich, H., deWaal, R., Alitalo, K. (1999). VEGFR-3 and Its Ligand VEGF-C Are Associated with Angiogenesis in Breast Cancer. *Am J Pathol* 154: 1381-1390 [[Abstract](#)] [[Full Text](#)]
- Yano, S., Shinohara, H., Herbst, R. S., Kuniyasu, H., Bucana, C. D., Ellis, L. M., Fidler, I. J. (2000). Production of Experimental Malignant Pleural Effusions Is Dependent on Invasion of the Pleura and Expression of Vascular Endothelial Growth Factor/Vascular Permeability Factor by Human Lung Cancer Cells. *Am J Pathol* 157: 1893-1903 [[Abstract](#)] [[Full Text](#)]
- Baldwin, M. E., Catimel, B., Nice, E. C., Roufail, S., Hall, N. E., Stenvers, K. L., Karkkainen, M. J., Alitalo, K., Stacker, S. A., Achen, M. G. (2001). The Specificity of Receptor Binding by Vascular Endothelial Growth Factor-D Is Different in Mouse and Man. *J. Biol. Chem.* 276: 19166-19171 [[Abstract](#)] [[Full Text](#)]
- Gilbertson, D. G., Duff, M. E., West, J. W., Kelly, J. D., Sheppard, P. O., Hofstrand, P. D., Gao, Z., Shoemaker, K., Bukowski, T. R., Moore, M., Feldhaus, A. L., Humes, J. M., Palmer, T. E., Hart, C. E. (2001). Platelet-derived Growth Factor C (PDGF-C), a Novel Growth Factor That Binds to PDGF alpha and beta Receptor. *J. Biol. Chem.* 276: 27406-27414 [[Abstract](#)] [[Full Text](#)]
- Olofsson, B., Pajusola, K., vonEuler, G., Chilov, D., Alitalo, K., Eriksson, U. (1996). Genomic Organization of the Mouse and Human Genes for Vascular Endothelial Growth Factor B (VEGF-B) and Characterization of a Second Splice Isoform. *J. Biol. Chem.* 271: 19310-19317

[\[Abstract\]](#) [\[Full Text\]](#)

- Achen, M. G., Jeltsch, M., Kukk, E., Makinen, T., Vitali, A., Wilks, A. F., Alitalo, K., Stacker, S. A. (1998). Vascular endothelial growth factor D (VEGF-D) is a ligand for the tyrosine kinases VEGF receptor 2 (Flk1) and VEGF receptor 3 (Flt4). *Proc. Natl. Acad. Sci. U. S. A.* 95: 548-553 [\[Abstract\]](#) [\[Full Text\]](#)
- Yamagishi, S.-i., Yonekura, H., Yamamoto, Y., Katsuno, K., Sato, F., Mita, I., Ooka, H., Satozawa, N., Kawakami, T., Nomura, M., Yamamoto, H. (1997). Advanced Glycation End Products-driven Angiogenesis in Vitro. INDUCTION OF THE GROWTH AND TUBE FORMATION OF HUMAN MICROVASCULAR ENDOTHELIAL CELLS THROUGH AUTOCRINE VASCULAR ENDOTHELIAL GROWTH FACTOR. *J. Biol. Chem.* 272: 8723-8730 [\[Abstract\]](#) [\[Full Text\]](#)
- Pedram, A., Razandi, M., Hu, R.-M., Levin, E. R. (1997). Vasoactive Peptides Modulate Vascular Endothelial Cell Growth Factor Production and Endothelial Cell Proliferation and Invasion. *J. Biol. Chem.* 272: 17097-17103 [\[Abstract\]](#) [\[Full Text\]](#)
- Vuorela-Vepsäläinen, P., Alftan, H., Orpana, A., Alitalo, K., Stenman, U.-H., Halmesmäki, E. (1999). Vascular endothelial growth factor is bound in amniotic fluid and maternal serum. *Hum Reprod* 14: 1346-1351 [\[Abstract\]](#) [\[Full Text\]](#)
- Makinen, T., Veikkola, T., Mustjoki, S., Karpanen, T., Catimel, B., Nice, E. C., Wise, L., Mercer, A., Kowalski, H., Kerjaschki, D., Stacker, S. A., Achen, M. G., Alitalo, K. (2001). Isolated lymphatic endothelial cells transduce growth, survival and migratory signals via the VEGF-C/D receptor VEGFR-3. *EMBO J.* 20: 4762-4773 [\[Abstract\]](#) [\[Full Text\]](#)
- Skobe, M., Hamberg, L. M., Hawighorst, T., Schirner, M., Wolf, G. L., Alitalo, K., Detmar, M. (2001). Concurrent Induction of Lymphangiogenesis, Angiogenesis, and Macrophage Recruitment by Vascular Endothelial Growth Factor-C in Melanoma. *Am J Pathol* 159: 893-903 [\[Abstract\]](#) [\[Full Text\]](#)
- Meyer, M., Clauss, M., Lepple-Wienhues, A., Waltenberger, J., Augustin, H. G., Ziche, M., Lanz, C., Büttner, M., Rziha, H.-J., Dehio, C. (1999). A novel vascular endothelial growth factor encoded by Orf virus, VEGF-E, mediates angiogenesis via signalling through VEGFR-2 (KDR) but not VEGFR-1 (Flt-1) receptor tyrosine kinases. *EMBO J.* 18: 363-374 [\[Abstract\]](#) [\[Full Text\]](#)
- Karpanen, T., Alitalo, K. (2001). Lymphatic Vessels as Targets of Tumor Therapy?. *J. Exp. Med.* 194: F37-42 [\[Full Text\]](#)
- Engler, D. A. (1996). Use of Vascular Endothelial Growth Factor for Therapeutic Angiogenesis. *Circulation* 94: 1496-1498 [\[Full Text\]](#)
- Aase, K., von Euler, G., Li, X., Ponten, A., Thoren, P., Cao, R., Cao, Y., Olofsson, B., Gebre-Medhin, S., Pekny, M., Alitalo, K., Betsholtz, C., Eriksson, U. (2001). Vascular Endothelial Growth Factor-B-Deficient Mice Display an Atrial Conduction Defect. *Circulation* 104: 358-364 [\[Abstract\]](#) [\[Full Text\]](#)

---

[HOME](#)
[HELP](#)
[FEEDBACK](#)
[SUBSCRIPTIONS](#)
[ARCHIVE](#)
[SEARCH](#)
[TABLE OF CONTENTS](#)

Copyright © 1996 by the European Molecular Biology Organization.